



PORTABLE PA SPEAKER

User Manual



SPA-12

Introduction

Thank you for purchasing our SPA-12 PA Speaker System, and welcome to the LyxPro™ family. This user manual is meant to offer you a brief walkthrough of the device's features and usage protocols. We hope you find this manual helpful. For additional information and technical support, please feel encouraged to contact our help team at info@lyxpro.com.

Important Safety Instructions

- Read and understand this user manual before using this unit.
- Do not attempt to repair this unit; seek qualified professional personnel as needed.
- Surface clean as needed with moist cloth and mild soap.
- Do not place lighting equipment, smoke machines or other heat-generating equipment on the speaker cabinet.
- Do not expose the speaker cabinet in water or rain.
- Be careful when storing the speaker cabinet; ensure it is placed where it will not fall or be damaged by other falling equipment.
- Before installation, ensure that the voltage and frequency of the power outlet matches the power requirements of the loudspeaker.
- Ensure that the power cord is never crimped or damaged by sharp edges.
- Do not let the power cord contact other cables.
- When replacing fuses, be sure to replace the fuse with the identical dimensions.



This icon on product or packaging indicates that product shall not be treated as household waste. Instead, it shall be dealt with in accordance with regulations of recycling electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences to the environment and to human health, which could otherwise be caused by inappropriate waste handling of this product. The recycling of materials will help conserve natural resources. For more detailed information about recycling of this product, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

Features

- 130 Crystal clear watts on demand
- Ultra compact and lightweight
- Bluetooth, SD card port and USB input
- Onboard intuitive music controls
- Dedicated XLR and 1/4" Mic and Line inputs
- Stereo mini 3.5mm auxiliary input
- R/L (Red/white) RCA auxiliary input
- Independent level knobs per input
- Basic EQ knobs for Mp3 section
- Internal switch-mode power supply

Box Contents

SPA-12 Portable PA Speaker System

Power cord

User Manual

Parts & Controls

1. Mp3/WMA Player w/Bluetooth
 - a. Mode Button: Switches between USB/SD Card Reader
 - b. Pause/Play Button
 - c. Repeat Button
 - d. Previous Button
 - e. Next Button
2. Mic Volume: Controls Mic Input Level
3. 1/4" Mic Input Jack
4. XLR Mic Input Jack
5. Volume 2: Controls Line Input Level
6. Balanced RCA Input
7. R/L (Red/White) RCA Line Input
8. XLR Line Out to Another Active Speaker
9. Volume Clipping Indicator
10. Treble Knob: Controls tone level of high frequency at range -12dB to +12dB
11. Bass Knob: Controls tone level of low frequency at range -12dB to +12dB
12. MP3 Volume Knob: Controls volume of MP3 player
13. Power On/Off Switch
14. Power Input

Connecting to Bluetooth

1. Turn the power on (#14). It will display "NO" to indicate that no BT, SD or USB is connected
2. Long press the Mode button (#1a). The unit displays "Blue".
3. Turn on the Bluetooth function on the mobile device you wish to connect.
4. Select "LYXPRO" on your mobile device.
5. A short beep sounds when the connection is established.

Tips

Protect your system: do not place heavy objects on the speaker.


When traveling, pack your system so that it is secure and does not move around in the vehicle; incidental bumping can damage your speaker.

Keep the controls free of dust and dirt.

When you do not intend to use the unit for a period of time, place it in a box or cover it with a cloth to keep the jacks and controls free from dust.

Technical Specifications

Speaker Type	Active
Frequency Response	35Hz-20KHz
Power Output	130w
Maximum Sound Pressure Level	95db
Nominal Sensitivity	93db
Impedance	4ohm
Low frequency driver	12" 370z 1.5"VC
High frequency driver	1" Ti. Diap 8ohm
Enclosure material	Plastic
Input Connections	XLR/1/4" Mic Input + 2 RCA line input Stereo mini 3.5mm auxiliary input
Dimensions	21.5" x 14.5" x 12"
Weight	27 Lbs.



www.lyxpro.com
Distributed by
C&A Marketing, Inc.
2 Bergen Turnpike
Ridgefield Park, NJ 07660
info@lyxpro.com
MADE IN CHINA
LyxPro is a trademark of
C&A IP Holdings, LLC
©2015 All Rights Reserved